

**DS-KD-KP**

## **Video Intercom Keypad Module**



- Keypad module of modular door station
- Supporting input pin code to open door, call indoor station
- IP65 and IK07 higher protection level
- Backlight compensation behind the keypad buttons
- Easy to use and extend

## ▪ Specification


System parameters	
Operation system	Linux
ROM	/
RAM	/
Processor	Embedded high performance processor
Display parameters	
Screen size	/
Operation method	/
Type	/
Resolution	/
Video parameters	
Lens	/
Resolution	/
FOV	/
Wide dynamic range (WDR)	/
Supplement light	/
Video compression standard	/
Audio parameters	
Audio input	/
Audio compression standard	/
Audio output	/
Audio compression bitrate	/
Audio quality	/
Volume adjustment	/
Capacity	
User capacity	/
Face capacity	/
Card capacity	/
Linked network camera capacity	/
Network parameters	
Network protocol	/
Wi-Fi	/
Bluetooth	/
3G/4G	/
Device interfaces	
Alarm input	/
Network interface	/
TAMPER	/
Exit button	/
RS-485	1
USB	/
Wiegand	/
TF card	/

Alarm output	/
Lock control	/
Door contact input	/
<b>General</b>	
Button	12
Installation	Flush mounting, surface mounting
Indicator	/
Weight	Net weight: 265 g Gross weight: 529 g
Protective level	IP65, IK7
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Working humidity	10% to 95%
Dimension (W × H × D)	98.5 mm × 100 mm × 34.2 mm (3.87" × 3.95" × 1.33")
Battery	/
Application environment	Outdoor
Power consumption	1 W

▪ **Available Model**

DS-KD-KP

▪ **Dimension**



▪ **Accessory**

▪ **Optional**

<p><b>DS-KD-ACW2</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACW3</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACF2</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACF3</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KA01-ZX-10</b> Demo Kit with 2nd video intercom</p> 
<p><b>DS-KABD8003-RS2</b> Rain Shield of Module Door Station</p> 	<p><b>DS-KABD8003-RS3</b> Rain Shield of Module Door Station</p> 	<p><b>DS-KH6320#EU&amp;U</b> K KH6 Series IP-Based Indoor Station</p> 	<p><b>DS-KD-ACF2/Plastic</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACF3/Plastic</b> 2nd Video Intercom Brackets</p> 
<p><b>DS-KD-ACF2/S</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACF3/S</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACW2/S</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD-ACW3/S</b> 2nd Video Intercom Brackets</p> 	<p><b>DS-KD8003-IME1(B</b> )</p> 
<p><b>DS-KD8003-IME1(B</b> )//Surface</p>	<p><b>DS-KH6320-CTE1</b></p>	<p><b>DS-KD8003Y-IME2</b></p>	<p><b>DS-KD-PMR</b></p>	<p><b>DS-KD-ACF2#EU</b></p>



**DS-KD-ACF3#EU**

**DS-KD-ACW2#EU**

**DS-KD-ACW3#EU**



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
www.hikvision.com



Follow us on social media to get the latest product and solution information.

